

(agora)[®]



ARTISAN
COLLECTION




Agora SH ARTISAN
HUESO SHI410



Agora SH ARTISAN
MINERAL SHI402



Agora SH ARTISAN
PLOMO SHI403



Agora SH ARTISAN
TAUPE SHI404



Agora SH ARTISAN
NACAR SHI401




Agora SH ARTISAN
ARENA SHI409



Agora SH ARTISAN
YUTE SHI408




Agora SH ARTISAN
ROCA SHI407



Agora SH ARTISAN
MARENGO SHI415



Agora SH ARTISAN
GRAFITO SHI416



Agora SH ARTISAN
MUSGO SHI406



Agora SH ARTISAN
HUMO SHI414



Agora SH ARTISAN
ACERO SHI413

















Agora SH ARTISAN
NIEBLA SHI411












Agora SH ARTISAN
PERLA SHI412



Agora SH ARTISAN
BRISA SHI405

<p>TECHNICAL FILE / CARACTERISTICAS GENERALES</p>	<p style="text-align: center;">Artisan</p>	
<p>Composition / Composición</p>	<p style="text-align: center;">100% Solution Dyed Acrylic</p> 	
<p>Width / Ancho</p>	<p style="text-align: center;">160 cm / 63"</p>	
<p>Weight / Peso</p>	<p style="text-align: center;">450 gr / m²</p>	
<p>Length of rolls / Longitud de las piezas</p>	<p style="text-align: center;">30 ml</p>	
<p>Finish / Acabado</p>	<p style="text-align: center;">Water repellent with stain resistant treatment Hidrófugo con tratamiento antimanchas</p>	
<p>Light fastness / Solidez a la luz</p>	<p style="text-align: center;">7 / 8</p>	
<p>Fiber structure / Estructura de fibra</p>	<div style="display: flex; align-items: center;">  <div style="margin-left: 20px;"> <p>The strong link between the carbon is not destroyed, so the color does not change with the passage of time. El fuerte vínculo entre el carbono no se destruye, por lo que el color no cambia con el paso del tiempo.</p> <div style="display: flex; justify-content: space-around; margin-top: 10px;"> <div style="border: 1px solid black; border-radius: 50%; padding: 2px 5px; text-align: center;">1 year</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px 5px; text-align: center;">2 year</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px 5px; text-align: center;">3 year</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px 5px; text-align: center;">4 year</div> <div style="border: 1px solid black; border-radius: 50%; padding: 2px 5px; text-align: center;">5 year</div> </div> </div> </div>	
<p>Warranty / Garantía</p>	<p style="text-align: center;">5 years* / 5 años**</p>	
<p>Tolerance / Tolerancia</p>	<p style="text-align: center;">Sensitive values of tolerance of + / - 5% Valores susceptibles de tolerancia de + / - 5%</p>	
<p>Cleaning instructions / Manutención</p>	<div style="display: flex; justify-content: space-around; align-items: center;">      </div>	
<p>Application / Aplicaciones</p>	<div style="display: flex; justify-content: space-around; align-items: center;">        </div>	
<p>Different optional fabric treatment / Otros acabados opcionales</p>	<p>WATERPROOF / IMPERMEABLE - laminated 1000 mm - laminado 1000 mm</p>	<p>FLAME RETARDANT / IGNÍFUGO - UNE 1021 PARTS 1-2 - IMO PEF 2010 Anex 1, Part 8 - BS 5852 Cigarrete & Match</p>

WATER RESISTANT

STAIN RESISTANT

MOLD RESISTANT

UV PROTECT

UV RESISTANT

DURABLE STRONG

NO CONDUCTOR

EASY TO CLEAN

BLEACH friendly

5 ANOS GARANTÍA (*) The Agora warranty covers the fabric becoming unserviceable as a result of loss of colour or strength from normal exposure conditions, including sunlight, mildew, rot and atmospheric chemical, if the fabric has been properly installed, utilized and maintained. The warranty does not cover labour and installation supplied by the dealer. The warranty also does not apply against deterioration of any kind due to abusive use, accidental burns, negligence or perforations.

(**) La garantía Agora cubre un anormal deterioro de la fibra debido a la pérdida de color o resistencia siempre que existan unas condiciones de exposición normales, incluyendo el sol, moho, putrefacción y agentes atmosféricos en general, siempre y cuando la fibra haya sido instalada, utilizada y mantenida correctamente. La garantía no cubre los trabajos de instalación del distribuidor. La garantía tampoco cubre, en cualquier caso, el deterioro debido al uso abusivo, quemaduras accidentales, negligencia o perforación.

